

▶ Pipe Clamp with Rubber

Material: Steel

Application: mounting element with rubber insulation for EMT, IMC and Rigid



EVT#	Trade Size	Shelf QTY	Master QTY	Top Thread	OD RANGE
2401	1/2"	20	200	M8+M10	17-23
2402	3/4"	16	160	M8+M10	23-29
2403	1"	16	160	M8+M10	29-35
2404	1-1/4"	*	*	M8+M10	37-43
2405	1-1/2"	10	100	M8+M10	43-49
2406	2"	10	100	M8+M10	55-61
2407	2-1/2"	*	*	M8+M10	70-75
2408	3"	*	*	M8+M10	85-90
2409	3-1/2"	*	*	M8+M10	99-103
2410	4"	*	*	M8+M10	110-115

▶ Conduit Hanger

Standard: UL 2239 and CSA C22.2 No. 18.4-04

Material: Steel

Application: for use to suspend conduit from overhead supports



EVT#	Trade Size	Shelf QTY	Master QTY	Dim A (inch)	Dim B (inch)
2201	1/2"	*	400	1.878	0.751
2202	3/4"	*	400	2.125	0.751
2203	1"	*	300	2.435	0.875
2204	1-1/4"	*	300	2.752	0.875
2205	1-1/2"	*	50	3.125	1.000
2206	2"	*	50	3.875	1.000
2207	2-1/2"	*	50	4.625	1.250
2208	3"	*	25	5.500	1.250
2209	3-1/2"	*	25	5.752	1.250
2210	4"	*	10	6.245	1.250

▶ Conduit Fasteners

Material: Steel

Application: provides for fast and easy installation with pliers




EVT#	Trade Size	Shelf QTY	Master QTY	Vertical Load	Horizontal Load
E1	1/2" & 3/4"	*	800	100 LBS	25 LBS
E2	1"	*	500	100 LBS	25 LBS
E3	1-1/4"	*	250	100 LBS	25 LBS
E4	1-1/2"	*	250	100 LBS	25 LBS
E5	2"	*	250	100 LBS	25 LBS

▶ U Bolt

Material: Steel

Application: for use to run and support EMT, IMC and Rigid in electrical systems




EVT#	Trade Size	Thread Size	Dim A		Dim B		Dim C	
			Inch	mm	Inch	mm	Inch	mm
U1	1/2"	5/16"-18	1.25	31.75	2.38	60.45	1.50	38.10
U2	3/4"	5/16"-18	1.44	36.58	2.75	69.85	1.50	38.10
U3	1"	5/16"-18	1.69	42.93	3.00	76.20	1.50	38.10
U4	1-1/4"	5/16"-18	2.06	52.32	3.13	79.50	1.50	38.10
U5	1-1/2"	5/16"-18	2.31	58.67	3.50	88.90	1.50	38.10
U6	2"	3/8"-16	2.81	71.37	4.38	111.25	1.88	47.75
U7	2-1/2"	3/8"-16	3.38	85.85	4.75	120.65	1.88	47.75
U8	3"	3/8"-16	4.00	101.60	5.38	136.65	1.88	47.75
U9	3-1/2"	3/8"-16	4.50	114.30	5.75	146.05	1.88	47.75
U10	4"	3/8"-16	5.00	127.00	6.63	168.40	1.88	47.75

▶ Strut Clamp

Standard: UL 2239 and CSA C22.2 No. 18.4-04

Material: Steel

Application: for use to support EMT, Rigid or IMC conduit to the strut channel




EVT#	Trade Size	Shelf QTY	Master QTY	Dim A (inch)	Dim B (inch)
2101	1/2"	*	400	2.302	1.241
2102	3/4"	*	350	2.458	1.241
2103	1"	*	300	2.680	1.241
2104	1-1/4"	*	300	3.210	1.241
2105	1-1/2"	*	250	3.415	1.241
2106	2"	*	200	4.000	1.241
2107	2-1/2"	*	150	5.000	1.241
2108	3"	*	150	5.555	1.241
2109	3-1/2"	*	*	6.000	1.241
2110	4"	*	100	6.500	1.241

▶ RC Clamp

Material: Steel

Application: for use to support EMT and Conduits to the Riel RC 19X35



EVT#	Trade Size	Shelf QTY	Master QTY	Dim A (inch)	Dim B (inch)
2101RC	1/2"	*	600	1.984	1.024
2102RC	3/4"	*	600	2.283	1.024
2103RC	1"	*	500	2.626	1.024
2104RC	1-1/4"	*	350	3.055	1.024
2105RC	1-1/2"	*	350	3.181	1.024
2106RC	2"	*	300	3.780	1.024
2107RC	2-1/2"	*	*	4.488	1.024
2108RC	3"	*	*	5.197	1.024
2110RC	4"	*	*	*	1.024