


## ▶ Conduit Coupling Set Screw Type

**Standard:** UL 514B and C22.2 No. 18.3-12

**Material:** Steel

**Application:** for use to couple two ends of unthreaded IMC or rigid conduits



EVT#	Trade Size	Shelf QTY	Master QTY	Dim A (inch)	Dim B (inch)
RSK01	1/2"	50	500	1.500	1.180
RSK02	3/4"	25	250	1.500	1.400
RSK03	1"	20	200	1.880	1.690
RSK04	1-1/4"	1	100	2.210	2.130
RSK05	1-1/2"	1	100	2.600	2.370
RSK06	2"	1	50	2.700	2.870
647S ∴	2-1/2"	1	12	3.937	2.917
648S ∴	3"	1	12	4.331	3.550
650S ∴	4"	1	6	4.724	4.550

∴ for EMT, IMC and Rigid

## ▶ Conduit Connector Compression Type

**Standard:** UL 514B and C22.2 No. 18.3-12

**Material:** Steel

**Application:** for use to bond unthreaded IMC or rigid conduit to a box or enclosure



EVT#	Trade Size	Shelf QTY	Master QTY	Dim A (inch)	Dim B (inch)
RCC01	1/2"	50	500	1.352	1.171
RCC02	3/4"	25	250	1.478	1.428
RCC03	1"	20	200	1.580	1.750
RCC04	1-1/4"	1	100	1.860	2.150
RCC05	1-1/2"	1	100	1.941	2.382
RCC06	2"	1	50	2.488	3.382
657S ∴	2-1/2"	1	12	3.878	2.818
658S ∴	3"	1	8	4.375	3.550
660S ∴	4"	1	6	4.745	4.550

∴ for EMT, IMC and Rigid

## ▶ Conduit Coupling Compression Type

**Standard:** UL 514B and C22.2 No. 18.3-12

**Material:** Steel

**Application:** for use to couple two ends of unthreaded IMC or rigid conduits



EVT#	Trade Size	Shelf QTY	Master QTY	Dim A (inch)	Dim B (inch)
RCK01	1/2"	50	500	1.742	1.171
RCK02	3/4"	25	250	1.821	1.428
RCK03	1"	20	200	1.949	1.750
RCK04	1-1/4"	1	100	2.652	2.150
RCK05	1-1/2"	1	100	2.700	2.382
RCK06	2"	1	50	2.927	3.382
667S ∴	2-1/2"	1	12	4.876	2.818
668S ∴	3"	1	8	5.200	3.550
670S ∴	4"	1	6	5.725	4.550

∴ for EMT, IMC and Rigid